



**AQUAPY EW165 12X1L BOT FR**

Version 2 / ZA  
102000011789

1/10  
Revision Date: 14.03.2019  
Print Date: 19.06.2019

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

**Trade name** AQUAPY EW165 12X1L BOT FR  
**Product code (UVP)** 06477402

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Insecticide

**1.3 Details of the supplier of the safety data sheet**

**Supplier** Bayer (Pty) Ltd.  
27 Wrench Road, P.O. Box 143  
1600 Isando  
South Africa

**Telephone** +27 (011) 921 5911

**Telefax** +27 (011) 921 5766

**Responsible Department** QHSE - Nigel, South Africa  
+27 (011) 365 8675 (during business hours only)

**1.4 Emergency telephone no.**

**Emergency telephone no.** +27 (0861) 555 777 (Western Cape Poisons Helpline)

**Global Incident Response Hotline (24h)** +1 (760) 476 3964 (Company 3E for Bayer AG, Crop Science Division)

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

**2.2 Label elements**

**|| Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

**|| Hazard label for supply/use required.**

**Hazardous components which must be listed on the label:**

- Chrysanthemum cinerariaefolium, ext.
- Piperonyl butoxide



**|| Signal word: Warning**

**AQUAPY EW165 12X1L BOT FR**Version 2 / ZA  
1020000117892/10  
Revision Date: 14.03.2019  
Print Date: 19.06.2019**Hazard statements**

H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (3:1). May produce an allergic reaction.

**Precautionary statements**

P391	Collect spillage.
P501	Dispose of contents/container in accordance with local regulation.

**2.3 Other hazards**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**

Emulsion, oil in water (EW)  
Chrysanthemum cinerariaefolium, extract 30 g/l; Piperonyl butoxide 135 g/l

**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Pyrethrins including cinerins	8003-34-7	Acute Tox. 4, H332 Acute Tox. 4, H312 Acute Tox. 4, H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	3,00
Piperonyl butoxide	51-03-6 01-2119537431-46-xxxx	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	13,50
Polyalkyleneoxide modified Heptamethyltrisiloxane	27306-78-1	Acute Tox. 4, H332 Eye Irrit. 2, H319 Aquatic Chronic 2, H411	> 1,00 – < 25,00
Distillates (petroleum), hydrotreated light	64742-47-8 01-2119456620-43-xxxx	Asp. Tox. 1, H304	> 1,00 – < 10,00
reaction mass of 5-chloro-2-methyl-4-isothi- azolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	55965-84-9	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1B, H314 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0.00015 – < 0.0015
Cetyl alcohol	36653-82-4 01-2119485905-24-xxxx	Not classified	> 1

**Further information**

Pyrethrins including cinerins	8003-34-7	M-Factor: 100 (acute)
-------------------------------	-----------	-----------------------



**AQUAPY EW165 12X1L BOT FR**

Version 2 / ZA  
102000011789

3/10  
Revision Date: 14.03.2019  
Print Date: 19.06.2019

Piperonyl butoxide	51-03-6	M-Factor: 1 (acute)
--------------------	---------	---------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures**

- General advice** Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
- Inhalation** Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
- Skin contact** Immediately wash with plenty of soap and water for at least 15 minutes. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.
- Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.
- Ingestion** Do NOT induce vomiting. Do not leave victim unattended. Call a physician or poison control center immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

- Symptoms**

Local:., Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing

Systemic:., discomfort in the chest, tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy, Dizziness

**4.3 Indication of any immediate medical attention and special treatment needed**

- Risks** This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
- Treatment**

Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae.

In case of skin irritation, application of oils or lotions containing vitamin E may be considered.



**AQUAPY EW165 12X1L BOT FR**

Version 2 / ZA  
102000011789

4/10  
Revision Date: 14.03.2019  
Print Date: 19.06.2019

---

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2 Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

**5.3 Advice for firefighters**

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

**SECTION 7: HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

**Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

**7.2 Conditions for safe storage, including any incompatibilities**

**AQUAPY EW165 12X1L BOT FR**Version 2 / ZA  
1020000117895/10  
Revision Date: 14.03.2019  
Print Date: 19.06.2019

<b>Requirements for storage areas and containers</b>	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.
<b>Suitable materials</b>	HDPE (high density polyethylene)
<b>7.3 Specific end use(s)</b>	Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Chrysanthemum cinerariaefolium, ext.	89997-63-7	10 mg/m <sup>3</sup> (STEL)	1995	ZA REL
Chrysanthemum cinerariaefolium, ext.	89997-63-7	5 mg/m <sup>3</sup> (TWA)	1995	ZA REL
Piperonyl butoxide	51-03-6	50 ppm (TWA)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls**

**Respiratory protection** Respiratory protection is not required under anticipated circumstances of exposure.  
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection** Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.  
Material Nitrile rubber  
Rate of permeability > 480 min  
Glove thickness > 0,4 mm  
Directive Protective gloves complying with EN 374.

**Eye protection** Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection** Wear standard coveralls and Category 3 Type 6 suit.  
If there is a risk of significant exposure, consider a higher protective type suit.  
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.  
If chemical protection suit is splashed, sprayed or significantly

**AQUAPY EW165 12X1L BOT FR**Version 2 / ZA  
1020000117896/10  
Revision Date: 14.03.2019  
Print Date: 19.06.2019

contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Form</b>	emulsion
<b>Colour</b>	white to light yellow
<b>Odour</b>	weak, characteristic
<b>pH</b>	$\leq 6,0$ (100 %) (23 °C)
<b>Flash point</b>	$> 79$ °C
<b>Density</b>	ca. 1,00 g/cm <sup>3</sup> ( 20 °C)
<b>Water solubility</b>	miscible
<b>Partition coefficient: n-octanol/water</b>	Chrysanthemum cinerariaefolium, ext.: Pow: $> 4$ Piperonyl butoxide: log Pow: 4,75
<b>Viscosity, dynamic</b>	$\leq 100$ mPa.s ( 20 °C) Velocity gradient 7,5 /s
<b>Surface tension</b>	25,8 mN/m ( 25 °C) Determined in the undiluted form.
<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity****Thermal decomposition** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Store only in the original container.**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****Acute oral toxicity** LD50 (Rat)  $> 5.000$  mg/kg**Acute inhalation toxicity** LC50 (Rat)  $> 1,64$  mg/l  
Exposure time: 4 h

**AQUAPY EW165 12X1L BOT FR**Version 2 / ZA  
1020000117897/10  
Revision Date: 14.03.2019  
Print Date: 19.06.2019

	Determined in the form of a respirable aerosol. Highest attainable concentration. No deaths
<b>Acute dermal toxicity</b>	LD50 (Rat) > 5.000 mg/kg
<b>Skin corrosion/irritation</b>	No skin irritation (Rabbit)
<b>Serious eye damage/eye irritation</b>	No eye irritation (Rabbit)
<b>Respiratory or skin sensitisation</b>	Non-sensitizing. (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

**Assessment STOT Specific target organ toxicity – single exposure**

Chrysanthemum cinerariaefolium, ext.: This information is not available.  
Piperonyl butoxide: Based on available data, the classification criteria are not met.

**Assessment STOT Specific target organ toxicity – repeated exposure**

Chrysanthemum cinerariaefolium, ext.: This information is not available.  
Piperonyl butoxide did not cause specific target organ toxicity in experimental animal studies.

**Assessment mutagenicity**

Chrysanthemum cinerariaefolium, ext. was not genotoxic in a battery of in vitro tests.  
Piperonyl butoxide was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Chrysanthemum cinerariaefolium, ext.: Based on available data, the classification criteria are not met.  
Piperonyl butoxide was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

Chrysanthemum cinerariaefolium, ext.: Based on available data, the classification criteria are not met.  
Piperonyl butoxide did not cause reproductive toxicity in a two-generation study in rats.

**Assessment developmental toxicity**

Chrysanthemum cinerariaefolium, ext.: Based on available data, the classification criteria are not met.  
Piperonyl butoxide did not cause developmental toxicity in rats and rabbits.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 0,244 mg/l Exposure time: 96 h
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 0,216 mg/l Exposure time: 48 h
<b>Toxicity to aquatic plants</b>	EC50 (Raphidocelis subcapitata (freshwater green alga)) 4,9 mg/l Exposure time: 72 h

**12.2 Persistence and degradability**

<b>Biodegradability</b>	Chrysanthemum cinerariaefolium, ext.: Not readily biodegradable.
-------------------------	---



**AQUAPY EW165 12X1L BOT FR**

Version 2 / ZA  
102000011789

8/10  
Revision Date: 14.03.2019  
Print Date: 19.06.2019

Piperonyl butoxide:  
Not rapidly biodegradable

**Koc** Piperonyl butoxide: Koc: 399 - 830

**12.3 Bioaccumulative potential**

**Bioaccumulation** Chrysanthemum cinerariaefolium, ext.: Bioconcentration factor (BCF)  
471  
Piperonyl butoxide:  
Potential bioaccumulation

**12.4 Mobility in soil**

**Mobility in soil** Chrysanthemum cinerariaefolium, ext.: Immobile in soil  
Piperonyl butoxide: Moderately mobile in soils

**12.5 Results of PBT and vPvB assessment**

**PBT and vPvB assessment** Chrysanthemum cinerariaefolium, ext.: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
Piperonyl butoxide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**12.6 Other adverse effects**

**Additional ecological information** No other effects to be mentioned.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

**Product** In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

**Contaminated packaging** Triple rinse containers.  
Do not re-use empty containers.  
Not completely emptied packagings should be disposed of as hazardous waste.

**SECTION 14: TRANSPORT INFORMATION**

**SANS 10231**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRETHRINS SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

**IMDG**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRETHRINS SOLUTION)





**AQUAPY EW165 12X1L BOT FR**

Version 2 / ZA  
102000011789

9/10  
Revision Date: 14.03.2019  
Print Date: 19.06.2019

14.3 Transport hazard class(es) 9  
14.4 Packaging Group III  
14.5 Marine pollutant YES

**IATA**

14.1 UN number **3082**  
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(PYRETHRINS SOLUTION )  
14.3 Transport hazard class(es) 9  
14.4 Packaging Group III  
14.5 Environm. Hazardous Mark YES

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No transport in bulk according to the IBC Code.

---

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Further information**

WHO-classification: U (Unlikely to present acute hazard in normal use)

---

**SECTION 16: OTHER INFORMATION**

**Text of the hazard statements mentioned in Section 3**

H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H310 Fatal in contact with skin.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H330 Fatal if inhaled.  
H332 Harmful if inhaled.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.

**Abbreviations and acronyms**

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE Acute toxicity estimate  
CAS-Nr. Chemical Abstracts Service number  
Conc. Concentration  
EC-No. European community number



**AQUAPY EW165 12X1L BOT FR**

Version 2 / ZA  
102000011789

**10/10**  
Revision Date: 14.03.2019  
Print Date: 19.06.2019

ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

<b>Reason for Revision:</b>	The following sections have been revised: Section 8: Exposure Controls / Personal Protection. Section 11: Toxicological information on STOT (Specific Target Organ Toxicity) and CMR (Carcinogenic, Mutagenic and toxic to Reproduction). Section 12. Ecological information.
-----------------------------	---

Changes since the last version are highlighted in the margin. This version replaces all previous versions.