

L1048519 SAFR/11W PPE4102484



Ryder[®]

syngenta[®]

A TURF PIGMENT.

Protect from frost.

Shake well before use.

Syngenta SA (Pty) Ltd. / (Edms) Bpk.

(Co./Mpy Reg. No. 1998/013761/07)

Private Bag / Privaatsak X 60

HALFWAY HOUSE, 1685 RSA.

Tel. (011) 541-4000

EMERGENCY / NOOD TEL. +27 (0) 86 199 9071

(Bateleur 911)

E-mail: bateleur@bateleur911.co.za

© SYNGENTA, AG

Batch No

Date of Manufacture

Product names marked ® or ™, the ALLIANCE FRAME
the SYNGENTA Logo and the PURPOSE ICON
are Trademarks of a Syngenta Group Company

5 l



DANGER

- **May cause an allergic skin reaction.**
- **Causes serious eye damage.**
- Avoid breathing dust/fume/gas/mist/vapours/spray.
- Wear protective gloves/eye protection/face protection.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER / doctor.
- If skin irritation or rash occurs: Get medical advice/ attention.
- Take off contaminated clothing and wash it before reuse.
- Collect spillage.
- Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for triple rinsed clean containers which can be disposed of as non-hazardous waste.

SAFETY PRECAUTIONS

- Keep out of reach of children.
- Keep away from food, drink and animal feeding stuffs.
- When using do not eat drink or smoke.
- To avoid risks to human health and the environment, comply with the instructions for use.
- KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.
- WASH OUT CONTAINER THOROUGHLY, and dispose of safely.
- DO NOT RE-USE CONTAINER for any other purpose.

DIRECTIONS FOR USE

GENERAL INFORMATION

RYDER[®] is a highly concentrated and stable green pigment designed for use on managed turf to improve its appearance and to help protect against UV radiation and excessive light intensities.

RYDER delivers a lasting and natural looking green colour for an enhanced, more uniform, appearance.

RYDER is safe to use on all turf species. For optimum turf quality **RYDER** should be used in conjunction with turf management practices that promote good turf health.

RESTRICTIONS

Prevent spray drift onto surrounding areas. Stone, paths and pavements will be stained if contacted.

Avoid product drift to open water bodies:

Apply vegetative buffer zones to water bodies of 3 - 5 m. Product application must be done using drift preventing practices and equipment (weather conditions during application, spraying equipment calibration).

Rates of Use

- **Greens and turf maintained at under 12 mm.**

Apply at a rate of 0.75 to 1.5 ℓ/ha in a water volume of 250 - 500 litres per hectare.

Use higher rates for deeper green colour and higher heights of cut.

- **Turf maintained above 12 mm.**

Apply at a rate of 1.0 to 2.0 ℓ/ha in a water volume of 250 - 500 litres per hectare. Use higher rates for deeper green colour and higher heights of cut.

For superior coverage apply 0.5 - 1.0 ℓ/ha in each of two directions (90° opposite directions)

- **Timing**

Apply **RYDER** at approximately 2 to 3 week intervals during the main growing season and at 4 - 6 week intervals when turf growth slows and mowing frequency drops. **RYDER** can be applied throughout the year as required. Apply after mowing.

MIXING AND SPRAYING

- Use of PPE for mixing/loading and application: Impermeable clothing (long sleeves shirt, long trousers), footwear.

- Hand protection: Nitrile gloves.
- Eye protection: Tightly fitting safety goggles, Face shield.
- During handling of concentrated product: Respiratory protection.
- Make sure the sprayer is clean and set to give an even application at the correct volume and an even deposit.
- Half fill the spray tank with clean water and commence agitation. Add the required quantity of **RYDER** to the spray tank.
- Complete filling to the required volume and continue to agitate throughout the spraying operation.
- Wash out containers thoroughly, preferably using an integrated pressure rinsing device, or manually rinse three times. Add washings to the sprayer at the time of filling. Complete filling to the required volume and continue to agitate throughout the spraying operation. Do not leave the spray liquid in the sprayer for long periods (such as during meal breaks (>1 hour) or overnight). Make up only the amount of spray required for immediate use.
- Thoroughly wash all spray equipment with water immediately after use.
- Thoroughly wash out sprayer according to manufacturer's guidelines and dispose of washing and clean containers according to DEFRA Code of Practice and local water authority guidelines.

Good Field Practice

As part of our Product Stewardship policy, Syngenta Crop Protection recommends the following precautions should also be observed:

Wear appropriate clothing – coveralls, eye protection and protective gloves, when handling the concentrate.

RYDER® is a trademark of a Syngenta Group Company.

L1048519 SAFR/11W PPE4102484



Ryder[®]

syngenta[®]

A TURF PIGMENT.

Protect from frost.

Shake well before use.

Syngenta SA (Pty) Ltd. / (Edms) Bpk.

(Co./Mpy Reg. No. 1998/013761/07)

Private Bag / Privaatsak X 60

HALFWAY HOUSE, 1685 RSA.

Tel. (011) 541-4000

EMERGENCY / NOOD TEL. +27 (0) 86 199 9071

(Bateleur 911)

E-mail: bateleur@bateleur911.co.za

© SYNGENTA, AG

Batch No

Date of Manufacture

Product names marked ® or ™, the ALLIANCE FRAME
the SYNGENTA Logo and the PURPOSE ICON
are Trademarks of a Syngenta Group Company

5 l



