



**Tempo**  
FOGGER



Before using  
this product read  
the label carefully

# TEMPO<sup>®</sup>

## FOGGER



IRAC Insecticide Group Code: 3A & 15

Reg. No. L6878 Act No. 36 of 1947  
Namibian Reg. No. N-AR 0799



Content 325 ml

ACTIVE INGREDIENTS: Cyfluthrin (pyrethroid) 1,0 g/kg  
Triflumuron (benzoyl phenylurea) 2,5 g/kg  
Thiamethoxam (pyrethroid) 0,4 g/kg



HARMFUL



A contact pyrethroid insecticide containing an insect growth regulator which interferes with chitin synthesis and interrupts the larval moulting process for the control of cockroaches (German, American and Oriental), tobacco beetle, skin and hide beetle larvae, confused flour beetle, dried fruit moth (adults), rice weevil, fleas, flies, mosquitoes, bedbugs, ants and mealmoths. For use in home and public health and by Pest Control Operators.

REGISTRATION HOLDER: Bayer (Pty) Ltd. Reg. No.1968/011192/07  
P.O. Box 143, ISANDO 1600 SOUTH AFRICA TEL: (011) 921 5911  
TEMPO<sup>®</sup> is a registered trademark of the Bayer Group.

**DISCLAIMER:** Although this product has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, kindly notify the registration holder.

**WARNINGS:** Handle with care. May cause irritation of the skin, eyes, mucous membranes and skin sensitization. Very toxic to aquatic organisms. Keep out of reach of children and animals. Highly flammable: Avoid naked sparks and flames. Do not leave on or near hot surfaces or expose to temperatures exceeding 50 °C or direct sunlight. Do not place on electrical installations. Pressurised: Do not puncture or burn container, even when empty.

**PRECAUTIONS:** Avoid skin contact and excessive inhalation. Do not use in the presence of persons with known sensitivity to pyrethroids. In cases of signs of sensitivity, obtain medical advice. Wash hands with soap and water after use. After accidental contact with skin, wash with copious amounts of water and soap. Do not eat, drink or smoke whilst applying or before washing hands. Avoid contamination of food, feeds, drinking water and eating utensils. Remove or cover exposed food, dishes, utensils and food processing equipment, also cover surfaces which come in direct contact with food. Do not contaminate dams, drains, ponds, streams and other waterways with the product or used containers. Wear respirator, goggles and protective clothing, if entering area during application. Remove pets and cover or remove aquaria and all humans must evacuate area to be treated. May stain plastic material and polished surfaces. Pregnant women should not enter treated area for 24 hours post application.

**SYMPTOMS OF POISONING:** Excitement, gastrointestinal discomfort, tremor, dizziness, headache, listlessness, nausea and vomiting, epigastric pain, involuntary muscular contraction of limbs (twitching), unconsciousness, convulsions and coma (very high doses).

**FIRST AID AND TREATMENT:** Remove patient from source of poisoning to a well-ventilated area and keep him quiet and reassured. Remove contaminated clothing and rinse contaminated body area thoroughly with plenty of soap and water. After eye contact, flush contamination out of eyes with clean water and call a doctor. If swallowed call a doctor immediately.

**NOTE TO PHYSICIAN:** Treat symptomatically.

**DIRECTIONS FOR USE: USE ONLY AS DIRECTED.**

Tempo<sup>®</sup> Fogger has been specially formulated to produce a microfine spray mist to flush out and kill insects hiding in cracks, crevices and places hard to reach. Tempo<sup>®</sup> Fogger can be used in commercial and industrial premises, food handling and processing establishments, offices, store rooms, hospitals, schools, homes, hotels, restaurants, farms, ships, warehouses and silos. Tempo<sup>®</sup> Fogger kills cockroaches (German, American and Oriental), tobacco beetle, skin and hide beetle larvae, confused flour beetle, dried fruit moth (adults), rice weevil, fleas, flies, mosquitoes, bedbugs, ants and mealmoths.

**DO NOT DEPRESS ACTUATOR UNTIL READY FOR USE.**

Close doors and windows of the room to be treated. Switch off ventilation.

Ensure all applicable precautionary measures have been taken.

Open all cupboards, cabinets and doors to ensure access to those areas to be treated.

Use one 325 ml can per 160 m<sup>2</sup>. Once the trigger is pressed, total content is released.



1. Place can on a table or stand, in the centre of the area to be treated. Cover surfaces close to the fogger can with layers of newspaper, or towels.



2. Point nozzle away and depress actuator until it locks in position (nozzle spray straight up). Set fogger upright and place on centre of covered stand. Immediately leave the room, closing the door. Keep treated area closed for at least three hours.



3. Ventilate the area for 30 minutes by opening doors and windows, before re-occupation.

For any product enquiry, contact Bayer Environmental Science (011 921 5911) during office hours 9am - 5pm. For poisoning emergencies only, Griffin Poison Information Centre may also be contacted - 082 446 8946. © Bayer (Pty) Ltd. All unauthorized reproduction of this label is forbidden. See can for Batch No. and Date of Manufacture. Shelf-life: 2 years after date of manufacture [www.environmentalscience.bayer.co.za](http://www.environmentalscience.bayer.co.za) or [www.bayer.co.za](http://www.bayer.co.za)  
UN No. 1950 A M A APPROVED



6 005317 000716

Bayer

018 Ver.